

In re application of DUJARI  
Serial No. 09/703,381

**Listing of the Claims:**

1-36 (canceled).

37. (previously presented) A computer-implemented method,  
comprising:

generating a plurality of subdirectory names, wherein each subdirectory  
name is random;

creating a plurality of randomly-named cache directories, one for each  
random subdirectory name generated;

storing a plurality of files under the plurality of randomly-named cache  
directories, each of the plurality of files having a predictable filename; and

automatically balancing the files among each of the plurality of randomly-  
named cache directories.

38. (previously presented) The computer-implemented method of  
claim 37 further comprising, receiving information corresponding to a new file to  
store.

39. (previously presented) The computer-implemented method of  
claim 37, wherein automatically balancing files among each of the plurality of  
randomly-named cache directories includes determining which of the directories  
has a least number of files therein.

In re application of DUJARI  
Serial No. 09/703,381

40. (previously presented) The computer-implemented method of claim 37, wherein automatically balancing files among each of the plurality of randomly-named cache directories includes determining when a randomly-named cache directory has a number of files stored therein that exceeds a limit.

41. (previously presented) The computer-implemented method of claim 37, further comprising, receiving information corresponding to a new file to store, determining that each of the plurality of randomly-named cache directories has a number of files therein that exceeds a limit, and automatically creating at least one new randomly-named cache directory.

42. (previously presented) The computer-implemented method of claim 37 further comprising, for each file, tracking which of the plurality of randomly-named cache directories that file is stored in.

43. (previously presented) The computer-implemented method of claim 37 further comprising, maintaining a count of a number of files stored in each of the plurality of randomly-named cache directories.

44. (previously presented) The computer-implemented method of claim 37 wherein at least one of the plurality of randomly-named cache directories caches content downloaded from a server.

In re application of DUJARI  
Serial No. 09/703,381

45. (previously presented) The computer-implemented method of claim 44 further comprising, maintaining a table including server content references and filenames converted therefrom.

46. (previously presented) The computer-implemented method of claim 37, wherein automatically balancing files among each of the plurality of randomly-named cache directories includes determining a randomly-named cache directory having a lowest file count, and moving files from another randomly-named cache directory to the randomly-named cache directory having the lowest file count.

47. (previously presented) The computer-implemented method of claim 37, further comprising, maintaining an index including a directory name for each of the plurality of randomly-named cache directories, and for each directory name, maintaining a file count of a number of files stored therein.

48. (previously presented) The computer-implemented method of claim 37, further comprising, comparing the number of files in one of the plurality of randomly-named cache directories having the least number of files therein against a predetermined threshold value, and based on the comparison, generating at least one additional randomly-named cache directory.

In re application of DUJARI  
Serial No. 09/703,381

49. (previously presented) The computer-implemented method of claim 37, further comprising, maintaining an indexed directory table including data corresponding to each of the plurality of randomly-named cache directories therein, and maintaining a table including file information and corresponding file directory information for each file in one of the plurality of randomly-named cache directories.

50. (previously presented) The computer-implemented method of claim 37, wherein automatically balancing files among each of the plurality of randomly-named cache directories includes moving at least one file from one of the plurality of randomly-named cache directories to another of the plurality of randomly-named cache directories following deletion of at least one other file.

51. (previously presented) The computer-implemented method of claim 37, further comprising maintaining a file count of a number of files stored in each of the plurality of randomly-named cache directories, and wherein automatically balancing files among each of the plurality of randomly-named cache directories includes moving at least one file out of one of the plurality of randomly-named cache directories when the file count maintained therefor is below a threshold value.

In re application of DUJARI  
Serial No. 09/703,381

52. (previously presented) The computer-implemented method of claim 51, further comprising removing one of the plurality of randomly-named cache directories based on the file count maintained therefor.

53-67. (cancelled)

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**